

IBL

INTACT BIO LABORATORIES PVT. LTD.

Believes in Quality & Services



PRODUCT
MANUAL

Welcome To Our Family



PRODUCT RANGE

Pg No.	ANTIBIOTIC
1	INBACT INJ. 4.5 gm.
2	NUTRICEF INJ. 3 gm
2	NUTRICEF INJ. 4 gm
2	NUTRICEF INJ. 500mg
3	RAW BOLUS - 4'S
4	RAW TABLET – 1X
5	RAW FORTE INJ. 100 ml
6	INTACIN INJ. 100 ml

Pg No.	NSAID
7	MELAMINE INJ. 100 ml.
7	MELAMINE PLUS INJ. 100 ml.
8	P.P.-24 BOLOUS 4'S X 10

Pg No.	FEED SUPPLEMENT
9	INTAGOLD PREMIUM 1 Lit.
9	INTAGOLD PREMIUM 5 Lit.
9	INTAGOLD FORTE 5 Lit.
9	INTAGOLD FORTE 20 Lit.
10	CH. INTAMIN FORTE 1KG, 5KG, 20 KG.
11	INTARICH SYP. 100ml, 500ml, 1 Lit.
12	INTARICH-H P.. 250ml, 500ml, 1 Lit.
13	INTABOOST BOLUS 4'SX10
14	INTAGOLD GEL 300gm.
15	INTAGOLD BOLOUS 1'S X 20
16	PREGNIMIX LIQ. 500ml/ 1 Ltr.

Pg No.	ANTIPARASITICS
17	ANTHENIL PLUS SYP. 30 ml, 1 LTR
18	BIOMEC PLUS BOLOUS 3.1 gm.
19	RAFONIL SYP. 30ml/100ml/1 Lit.
19	RAFONIL BOLOUS 6gm.
20	RAFONIL – DS 100 ml
21	RAFONIL – XL 100 ml

Pg No.	ECTO PARASITIC
22	CTM LIQ. 6ml.
23	RAFONIL SOAP - 75gm.

Pg No.	ANTIPROTOZOL
24	PRO-NIL RTU 90 ml.

Pg No.	LIVER
25-26	INTABOOST INJ. 30ml/100ml.

Pg No.	INTRAUTRINE
27	IBL I.U. 60 ml.

Pg No.	PHOSPHORUS
28	INTAPHOS - M INJ. 30ml,100ml.



INBACT

Composition :-

Each 4.5 gm vial contains :- vial contains

Amoxycillin sodium – 3 gm

Sulbactam Sodium – 1.5 gm

Indication :-

Mastitis, Matritis, Pneumonia, H.S. B.Q. Pylonephritis, F.M.D.

Presentation :- 4.5 gm vial

AN IDEAL CHOICE ✓

MASTITIS



GET THE RIGHT DOSE-FOR THE FIRST TIME.

NUTRICEF

Composition :-

Each contains : Ceftriaxone Sodium USP Equivalent to Ceftriaxone 4 gm.

Indication :-

- Broad spectrum bacterial
- Highly stable against b-lactamase
- Excellent tissue penetration
- Effective in intra cellular infections
- Fast onset of action
- High bioavailability
- Longer half-life & Once daily dosage

Pneumonia



Mastitis



Presentation :- 3g, 4g, 500mg



**RIGHT CHOICE IN A WIDE RANGE OF
SERIOUS & MULTI RESISTANT INFECTIONS**

RAW Bolus

Composition :-

Each Raw Bolus contains :-
Amoxicillin Tryhydrate – 1 gm
Cloxacillin Sodium – 1 gm
Lactic Acid Bacillus – 300million CFU

Indication :-

Bacterial Diarrhoea, Calf scour, Wound & burns
& any other bacterial infection.
For follow up after antibiotic injection.

Presentation :- 10x4 Bolus Pack.

Dosage :- Give 1 Raw (White colour) & 1 Raw LB Bolus (Pink Colour) Twice daily.




**AN ORAL ANTIBIOTIC WITH
RUMAN SAFELY.**

RAW Tablet

Composition

Part-A	
Composition:	
Each White tablet contains :	
Amoxycillin Trihydrate IP eq. to Amoxycillin	250 mg.
Cloxacillin Sodium IP e.q to Cloxacillin	250 mg.

Part-B	
Composition:	
Each Pink LB tablet contains :	
Lactic Acid Bacillus	60000 IU.



Available 10 White & Pink tablet pack

Indication :-

Bacterial Diarrhea, Calf scour
Wound & burns any other
bacterial infection.

Presentation :- 1x10 Bolus Pack.

Dosage :

1 white tablet alone with 1 pink tablet daily
twice for 3 to 5 days

**AN ORAL ANTIBIOTIC WITH
RUMAN SAFELY.**

RAW FORTE



Composition :-

Each Contains :- Amoxicillin Sodium – 2.00gm,
Cloxacillin Sodium -2.00gm

Indication :-

Bacterial Diarrhea, Calf scour, Wound & burns &
any other bacterial infection.
For follow up after antibiotic injection.

Presentation :- 4gm.



Dosage :- 6-10mg/kg body weight. Pack-4 gm vial with
20 ml Distll water Small Animal.

**FIRST LINE OF TREATMENT FOR MAJOR
INFECTIONS.**


INTACIN

Composition :-

Each ml contains :- Enrofloxacin – 10%

Indication :-

All common bacterial infection & mycoplasma infection.



Presentation :- 100 ml vial



For

Pneumonia

Rop / Metritis / Pyometra

Mastitis

The Quality You can Trust.

MELAMINE - Plus

Composition : -

Each ml contains : - Meloxicam B.P. – 5 mg, Paracetamol
150 mg

Indication : -

Pain, Fiver , Inflammation.

As co. therapy in Pneumonia, Prolapse of Uterus
Arthritis

Presentation :- 30ml, 100 ml vial



RATED THE BEST MELOXICAM BY THE
USERS/DISPENSER.

Composition :-

Each contains : Piroxicam I.P. 200mg
Paracetamol I.P.
2000mg Excipients q.s.

***Double Strength for
Heavy Weight Animals ...***

Indication :-



Treatment of Pain, Fever
& Inflammation.

Presentation :-

4's x 30 Bolus per Box



**Fast and Sure Relief from
Pain, Fever & Inflammation...**



Dosage :-

Large Animal : 2 bolus B.D.

Small Animal : ½ or 1 bolous B.D.

**FAST AND SURE RELEF FROM PAIN,
FEVER & INFLAMMATRION.**

INTAGOLD - Premium

Composition :-

Each 100 ml contains : Calcium – 3500mg

Phosphorus – 1750mg, Vitamin D3 – 15000 I.U.

Vitamin B12 – 200 mg, Carbohydrate – 40000 mg

Asparagus Recemosus – 1000 mg

Leptadenia Reticulata – 300 mg

Energy value :-

Kilocalories – 160

Kilojoules - 670

Indication :- For high milk production.

Presentation :- 1 Ltr. And 5 Ltr.

Dose :- 100 ml - 200. daily



THE COMPLETE NUTRITION FOR HIGH MILK YIELD

Ch. INTAMIN - FORTE

Composition :-

Each :- Vitamin A-10, 00,000 I.U., Vitamin D3-2,00,000 I.U., Vitamin E-250MG, Selenium – 50 MG, Nicotinamide – 100 MG, Copper – 2500 MG, Cobalt – 250 MG, Magnesium – 6000MG, Iron -1500 MG, Vitamin H – 10 MG, Vitamin K- 5MG, Iodine – 325 MG, Zinc 15 GM, Manganese – 1500 MG, Calcium – 25.50%, Phosphorus – 12.75%, Sulphur – 72%, Sodium – 5.9 MG, Potassium – 100 MG, Bypass Fat – 25 GM.

Indication :- Proper Development of Genital Organs & Combat All Infertility Problems.

Presentation :- 1Kg, 5Kg, 20Kg

Dosage :- Large Animal 50gm-100 gm Daily
Small Animal 30gm – 50 gm Daily



Improves Fertility – Enhances Productivity

INTARICH – Liquid

Composition :-

Each contains : Vit. A-20000 IU, Vit –D3 120,000 IU, Vit-E 600 mg , Vit-B12 200 mcg, Vita H (Biotin) 1500 mcg, Zinc 1800 mcg, Cobalt 1000 mcg, Selenium 100 mcg/10ml

Indication :-

- * For udder development
- * Maintain healthy skin, coat & hoof condition
- * Calf growth
- * Lower Stress associated with temperature change
- * Improves physical performance & weight gain in animal.

Presentation :- 100ml, 500 ml, 1Ltr.

Dose :- Large Animal – 20-50ml daily for 10-15 days
Small Animal – 5-10ml daily for 10-15 days



Fortified Powerful Antioxidants

INTARICH – H POWER

Composition :-

Each 1ml contains : Vit. A-25000 IU, Vit –D3 15,000 IU, Vit-E 80 mg , Vit-B12 25 mcg, Vita H (Biotin) 170 mcg, Zinc 200 mcg, Cobalt 120mcg, Elemental Selenium 12 mcg

Indication :-

- * Improve growth in livestock
- * Stop hair loss & improve body shine in calf.
- * Prevents Mastitis.
- * Restore & regulates milk yield after any disease
- * Energy booster in weak & emitiated animal.

Presentation :- 250ml, 500 ml, 1Ltr.

Dose :- Large Animal – 10-20 ml daily
Small Animal – 5-10 ml daily



250 ml./500 ml. & 1Ltr.



- Poor Udder Health
- Poor Calf Growth
- Weak Cow
- Unhealthy Hoof

May be Caused due to

Poor Nutrition

INTABOOST

Bolus


Composition :-

Each Bolus contains :- Live yeast culture – 3gm,
Amino Acids – 2gm, Sporogenous culture – 20 million CFU
Liver Extract – 5mg, Choline Chloride – 100mg,
Vitamin B12 – 200mg, Ginger Extract – 20 mg
Copper Sulphate – 5 mg, Cobalt Chloride – 50mg.

Indication :-

Anorexia, Metabolic Disorder, Liver Disorder Poor Feed utilization.

Presentation :- Box of 10 strips x 4 Bolus.



**A MASTER KEY TO OPEN THE
LOCK OF RUMEN.**

INTAGOLD- GEL


Composition :-

Each contains : Oral Ionic Gel – Calcium (CA+++)
43.5 gm.

Indication :- Superior Calcium Replenishment.

Presentation :- 300 gm Squeezable tube.

Dose :- 1 Gel for 3 to 5 days.



Suggestive usage Around Calving

Suggestive use in Milk Fever Management

Note : in milk fever, once animal is in standing, it is preferable give oral ionic calcium over i/v calcium for faster and safe recovery



INSTANT IONIC CALCIUM

INTAGOLD- Bolus

Composition :-

Each contains : Tribasic Calcium Phosphate – 5.16 gm, Vitamin D3 – 20,000 I.U. , Vit.-A 50,000 I.U., Vit.-B12-100mcg, Vit. – H 100 mcg,

Vit.-E 100 mg, Jivanti-1gm, Satvari – 1 gm, Copper MHA-500mg, Zinc – 1.5 gm.

Indication :- For high milk production.

Presentation :- 20x1 Bolus Pak

Dose :- 1 Bolus B.D. for 10 days.



THE COMPLETE NUTRITION FOR HIGH MILK YIELD

PREGNIMIX

Composition :-

Ayurvedic Utrine Cleaner.

Indication :-

- For Next reproductive cycle
- Expulsion of foetal placenta along with debris left in uterus.
- For complete involution of uterus and optimal milk Production.
- For post partum oestrus in time.
- For reliving animal from stress and debility

Presentation :- 1 Ltr.

Complete Turing of Uterus is very Essential Just after Parturition

- For next reproductive cycle
- Expulsion of foetal placenta along with debris left in uterus
- For complete involution of uterus and optimal milk production
- For post partum oestrus in time
- For relieving animal from stress and debility

Dosege :

For prophylaxis & treatment of retained placenta - 500 ml followed by 500 ml afer 6 hours
for open pyometra & induction of heat - 200 ml for 5 days



ENSURE HEALTHY PREGNANCY EVERY TIME.


ANTHENIL - PLUS

Composition :-

Each ml contains :- Albendazole 25mg + Ivermectin 1 mg

Indication :- Worm infestation .

Presentation :- 30ml, 1000



Freedom from Endo & Ecto parasites

Dosage:

3ml /9 kg body weight
or as directed by Veterinarian



A MICRONIZED DEWORMER WITH UNMATCHED EFFICACY.

BIOMEK - PLUS

Composition :-

Each Bolus contains :- Fenbendazole 3gm + Ivermectin 100 mg

Indication :- FOR COMPLETE TREATMENT OF ECTO & ENDO PARASITE

Presentation :- 3.1gm Bolus, Pack 10x3.1gm Bolus

Dosage :- 3.1gm **Endo & Ectoparasitic Infestation**


During Pregnancy

leads to

Reduces
Nutrients Availability
to the Host

Fall in General
Health Condition

Birth of
Weak Calf



THE PREGNANCY SAFE DEWORMER

RAFONIL

Composition :-

Each ml contains : - Rafoxanide – 3% + & Levamesole – 3%

Indication :- Liver Fluke infestation
Amphistomiasis
All gut worm infestation

Presentation :- 1 ltr, 100ml,
30ml, 10x6g Bolus, 6g Bolus.



**TECHNOLOGICALLY ADVANCE DEWORMER FOR
MIXED WORM INFESTATION.**

RAFONIL- DS

Composition :-

Each ml contains :- Levamisole Hydrochloride 3% w/v & Rafoxanide 6% w/v Suspension

Indication :- Mixed infestation for Heavy Weighted Animals

Presentation :- 100ml



DOSAGE :

3 ml / 20 kg body weight (or directed by Veterinarian)

TECHNOLOGICALLY ADVANCE DEWORMER FOR MIXED WORM INFESTATION.

RAFONIL- XL

Composition :-

Each ml contains : - Oxyclozanide 6% w/v &
Levamisole 3% w/v

Indication :- Mixed Worm infestation.

Presentation :- 100ml

Dosage :- 2.5ml / 10 kg Body weight

Conventional **De-Wormers**
are not giving result as desired

...because of **90%**



worm infestation
is Mixed Type

Need Freedom from
Mixed Worm infestation
for healthy cattle & maximum productivity



HIGHLY EFFECTIVE AGAINST
MIXED WORM INFESTATION

CTM – Liquid

Composition :-

Each contains : Amitraz Dip Concentrate I.P. (Vet.) 12.5%

Indication :- Blow away the blood Suckers.

Presentation :- 15ml, 6 ml.

Dosage :- 2 ml. CTM mix in 1 Ltr. Of water & wipe gently.

Weakness

Anaemia

**Dry &
Rough Skin**

**Less
Productivity**

**Stress
& Irritation**



CTM Clean Ticks Mites

RAFONIL - SOAP


Composition :-

Each contains :- Permethrin - 5%, Cetrimide -1%, Aloe Vera - 1%

Indication :- The complete solution of Ticks, Mites, Lice & Scabies.

Presentation :- 75gm. Pack.

Medicated Soap for Cattle, Buffalo, Dog, Goat, Cat



TECHNOLOGICALLY ADVANCE DEWORMER FOR MIXED
WORM INFESTATION.

PRO-NIL RTU

Composition :-

Each contains : Diminazene Diacetate 70mg +
Phenazone B.P. 375mg, water for injection IP Q.S.

Indication :-

Control & Treatment of Babesiosis, Trypanosomiasis &
Mixed Infection.

Presentation :- 90ml.



**KILLS PROTOZOA COMPLETELY -
MAKES THEM NIL IN BLOOD**

INTABOOST- Liq

Composition :-

Each 10 ml contains :- Liver Extract 1.3gm, Yeast Extract-42gm,
Ferrous Gluconate-100mg, Ferrous Chloride -40mg,
Thiamine Hydrochloride – 5mg, Nicotinic Acid – 30 mg,
Vitamin B-12 8.5mcg.

Indication :-

Anorexia, Metabolic Disorder, Liver Disorder Poor Feed utilization

Presentation :- 200ml, 500ml, 1 Ltr.

**Improve
the Production Performance**



**The Complete Vitalizer Following
Chemotherapy & Deworming**

INTABOOST

Inj

Composition :-

Each contains :- Powerful Combination of Liver Extract, B-complex & Choline Chloride.

Indication :-

Anorexia, Metabolic Disorder, Liver Disorder
Poor Feed utilization.

Presentation :- 30 ml, 100ml.



Results

Anorexia + Poor Performance

POWERFUL COMBINATION
SUPERIOR FORMULATION.

IBL-I.U.

Composition :-

Each ml contains : Levofloxacin Hemihydrate IP 20mg
Ornidazole IP 40mg, Alpha Tocopherol Acetate IP 5mg
Aqueous Base q.s.

Indication :- The best solution in Uterine Infections.

Presentation :- 60 ml.

Dose :- 30-60ml through Intrauterine route, depending upon or as directed by the veterinarian.



Highly effective in Repeat Breeding due to I.U. infections



Treats Repeat Breeding Due to I.U. Infection - Effectively

INTAPHOS - M

Composition :-

Each contains :- Sodium Acid Phosphate – 200 mg ,
Methylcobalamin – 100 mg, Methylparaben – 0.1% W/v

Indication :-

Helps in release of ovum at Proper Time.

Presentation :- 30ml, 99ml.



Instant & Long Acting.

IMPORTANT INFORMATIONS

GESTATION PERIOD OF DOMESTIC ANIMALS


SPECIES	GESTATION PERIOD (DAYS)
COW	280-284
BUFFALO	314-320
CAMEL	406
GOAT	150
SHEEP	148
PIG	114
DOG	60

COMPARATIVE OESTRUS CYCLE

SPECIES	MARE	COW	SOW	EWE
Length of oestrus	21	21	21	17
Cycle (days)				
Duration of oestrus	4-5 days	12-36 hrs.	48-96 hrs.	24-48 hrs.
Duration of follicular phase (days)	7 (variable)	4	7	3
Duration of Menstrual Phase (days)	14	17	14	14

GENERAL BODY PARAMETERS OF DOMESTIC ANIMAL

ANIMAL SPECIES	TEMP. (F)	PULS RATE	RESPIRATION RATE
Buffalo	99.5-102.0	38-53	12 to 16
Cattle	100.5-102.5	60-70	15-25
Camel	97.5-101.5	32-50	5-12
Horse	99.5-101.5	36-42	8-12
Sheep	100.8-103.8	70-90	15-30
Goat	101.5-104.8	70-90	15-30
Fowl	105.0-108.5	128-140	12-28
Dog	101.3	80-90	15-25



Thank You

IBL